

		on No.	Applicant(s)		
Notice of Allowability	10/649,8	94	REISS, BENOIT		
	Examine		Art Unit		
	Anabel M	. Ton	2875	:	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.					
1. This communication is responsive to <u>07/05/07</u> .					
2. The allowed claim(s) is/are <u>1 and 3-7</u> .					
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>					
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.					
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.					
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.					
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached					
1)  hereto or 2)  to Paper No./Mail Date					
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date					
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).					
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.					
			•		
Attachment(s)				•	
1. Notice of References Cited (PTO-892)		5. Notice of Informal P	• •		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		6. Interview Summary (PTO-413), Paper No./Mail Date			
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>		7. Examiner's Amendment/Comment		•	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		8. Examiner's Statement of Reasons for Allowance			
	,	9.			
		•	·		

Art Unit: 2875

## **DETAILED ACTION**

## Allowable Subject Matter

- 1. Claims 1,3-7 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: the prior art cited does not anticipate individually nor teach in combination the following limitations:
  - An assembly comprising: a white light emitting diode (LED) having an aperture for emitting a light beam in an arc of about 120° in horizontal and vertical planes; and a lens for receiving the beam and reducing the beam in a horizontal plane to about 60° and reducing the beam in a vertical plane to about 60° the LED aperture includes a horizontal aperture component adapted for emitting the light beam extending 60° to the left and 60° to the right of a beam axis in the horizontal plane and a vertical aperture component for emitting the light beam extending 60° above the beam axis and 60° below the beam axis in the vertical plane; and wherein said lens is adapted to configure the light beam to an upper boundary in the vertical plane deflected about 10° downwardly relative to the horizontal plane and a lower boundary in the vertical plane extending downwardly about 70° relative to the horizontal plane.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anabel M. Ton whose telephone number is (571) 272-2382. The examiner can normally be reached on 08:00-16:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> Anabel M Ton Examiner Art Unit 2875

**AMT** 

Sandra O'Shea Supervisory Patent Examiner Technology Center 2800